



Product Guide



FLATDECKS • CAR HAULERS • EQUIPMENT TILTS • DUMPS • UTILITIES



PJ TRAILERS

Established in 1991, PJ Trailers has become the largest professional grade trailer manufacturer in North America. The PJ Trailer brand is synonymous with high-end, professional grade trailers. We are known world wide for our legendary powder coat finish, which is a standard feature on every trailer we manufacture.

EQUIPMENT TILTS



TANDEM DUAL TILT (TD)



- 22,400 lbs GVWR
- 24' - 40' Lengths Available
- 10k & 12k Axles Available
- 24' Hydraulic Tilting Deck
- 12" x 19lb I-Beam Main Frame
- 235/80R16 Radial Tires

DECKOVER TILT (T8)



- 14,000 lbs GVWR
- 22', 26', & 28' Lengths Available
- 4ft Stationary Deck on 26'
- Gooseneck Available
- 8" x 10 lb I-beam Frame & Tongue
- 235/80R16 Radial Tires

HD DECKOVER TILT (T9)



- 15,680 lbs GVWR
- 24' Deck
- 24', 26', 28', & 30' Lengths
- 12" x 14 lbs I-Beam Frame
- 102" Wide Deck
- Scissor Hoist Standard
- Gooseneck Coupler Standard

6" CHANNEL EQUIPMENT TILT (T6)



- 14,000 lbs GVWR
- 16' - 24' Lengths Available
- Ultra Low 21" Deck Height
- 6" Channel Frame & Tongue
- 235/80R16 Radial Tires

5" CHANNEL TILT CARHAULER (T5)




- 7,000 lbs GVWR
- 16' & 20' Lengths Available
- 11° Tilt Pitch
- Aluminum Treadplate Fenders
- 205/75R15 Radial Tires

POWERED FULL TILT (TF)



- 14,000 lbs GVWR
- Entire Bed Tilts
- 18' - 24' Lengths Available
- 6" Channel Frame & Tongue
- 235/80R16 Radial Tires

MULTIDECK TILT (MT) **MULTI**DECK BY PJ TRAILERS



- 14,000 lbs GVWR
- Deck Raises and Lowers from 26" to 35"
- 82" Deck Width in Low Position
- 102" Deck Width in High Position
- 20 ft Deck Tilts in Both Deck Positions
- Available in US only through PJ Trailers

83" HYDRAULIC QUICK TILT (TH)



- 7,000-10,400 lbs GVWR
- 16', 18', & 20' Lengths Available
- 9° Tilt Angle on 20ft w/ Drop Axle
- 83" Deck Width
- Aluminum Treadplate Fenders
- Hydraulic Power Up & Down

83" MANUAL TILT (TM)



- 7,000 lbs GVWR
- 16', 18', & 20' Lengths Available
- 9° Tilt Angle on 20ft w/ Drop Axle
- 83" Deck Width
- Aluminum Treadplate Fenders
- 205/75R15 Radial Tires

CLASSIC FLATDECK WITH SINGLES (FS)



- 15,680 lbs GVWR
- 20' - 40' Lengths Available
- Available with Tandem and Triple Axles
- I-Beam Gooseneck
- 12" x 14lb I-Beam Main Frame
- 235/80R16 Radial Tires

LOW-PRO FLATDECK WITH SINGLES (LS)

NEW



- 15,680 lbs GVWR
- 20' - 40' Lengths Available
- 33.5" Deck Height
- I-Beam Gooseneck
- 12" x 14lb I-Beam Main Frame
- 235/80R16 Radial Tires

CLASSIC FLATDECK WITH DUALS (FD)



- 22,400 lbs GVWR
- 20' - 40' Lengths Available
- 10k - 16k Axles Available
- I-Beam Gooseneck
- 235/80R16 Radial Tires

LOW-PRO FLATDECK WITH DUALS (LD)



- 22,400 lbs GVWR
- 20' - 40' Lengths Available
- 10k - 16k Axles Available
- Ultra Low 33" Deck Height
- 12" x 19lb I-Beam Main Frame

FLATDECK WITH HYDRAULIC DOVE (FY)



- 22,400 lbs GVWR
- 10' Hydraulic Dovetail
- 30' - 40' Lengths Available
- 10k - 16k Axles Available
- I-Beam Gooseneck
- 12" x 19lb I-Beam Main Frame

LOW-PRO WITH HYDRAULIC DOVE (LY)



- 22,400 lbs GVWR
- 10' Hydraulic Dovetail
- Ultra Low 33" Deck Height
- 30' - 40' Lengths Available
- 10k - 16k Axles Available
- 12" x 19lb I-Beam Main Frame

FLATDECK WITH SINGLES HYDRAULIC DOVE (SY)



- 21,000 lbs GVWR
- 10' Hydraulic Dovetail
- 32' - 40' Lengths Available
- Three (3) 7k Axles
- 12" x 14 lb. I-Beam Main Frame
- 235/80R16 Radial Tires

8" I-BEAM DECKOVER (F8)



- 14,000 lbs GVWR
- 16' - 30' Lengths Available
- Available with Tandem and Triple Axles
- 8" x 10 lb. I-Beam Main Frame
- 235/80R16 Radial Tires

MEDIUM DUTY DECKOVER 6" CHANNEL (L6)



- 9,990 lbs GVWR
- 16'-20' Lengths Available
- 225/75R15 Radial Tires
- 6" Channel Main Frame

LIGHT DUTY DECKOVER 5" CHANNEL (L5)



- 7,000 lbs GVWR
- 16'-20' Lengths Available
- 205/75R15 Radial Tires
- 5" Channel Main Frame

PIPE HAULER (PT)



- 15,680 lbs GVWR
- 20' - 40' Lengths Available
- 7k & 8k Axles Available
- Ultra Low 35" Deck Height
- 12" x 14lb I-Beam Main Frame
- 235/80R16 Radial Tires

STEPDECK TRAILER (SD)



- 30,000-40,000 lbs GVWR
- 41' - 51' Lengths Available
- 11' Step Deck
- 12" x 22 lb. I-Beam Main Frame
- 12k - 16k Axles Available

8" CHANNEL EQUIPMENT (C8)



- 14,000 GVWR
- 20' - 40' Lengths Available
- Available with Tandem and Triple Axles
- 8" Channel Tongue & Frame
- 235/80R16 Radial Tires

6" CHANNEL EQUIPMENT (CC)



- 14,000 GVWR
- 16' - 24' Lengths Available
- Gooseneck Available
- 235/80R16 Radial Tires
- Treadplate Removable Steel Fenders

5" CHANNEL CARHAULER (C5)



- 7,000 GVWR
- 14' - 20' Lengths Available
- 83" Wide Deck
- ST205/75R15 Radial Tires

4" CHANNEL CARHAULER (C4)



- 7,000 GVWR
- 4" Channel Frame
- 14' - 18' Lengths Available
- 83" Wide Deck
- ST205/75R15 Radial Tires

ANGLE PIPETOP (P8)



- 14,000 GVWR
- 16' - 20' Lengths Available
- 83" Wide Deck
- 235/80R16 Radial Tires
- 3" x 5" Angle Frame
- Ultra Low 23" Deck Height

ANGLE PIPETOP (P7)



- 9,990 GVWR
- 16' - 20' Lengths Available
- 83" Wide Deck
- 225/75R15 Radial Tires
- 3" x 5" Angle Frame
- Ultra Low 21" Deck Height

5" CHANNEL BUGGY HAULER (B5)



- 7,000 - 10,400 GVWR
- 16' - 20' Lengths Available
- 102" Wide Deck
- Drive Over Fenders
- 205/75/R15 Radial Tires
- 5" Channel Frame

6" CHANNEL SUPER-WIDE (B6)



- 14,000 GVWR
- 16' - 24' Lengths Available
- 102" Wide Deck
- Drive Over Fenders
- 235/80/R16 Radial Tires
- 6" Channel Frame

8" CHANNEL SUPER-WIDE (B8)



- 14,000 - 21,000 GVWR
- 20' - 44' Lengths Available
- 102" Wide Deck
- Drive Over Fenders
- 235/80/R16 Radial Tires
- 8" Channel Frame



At PJ Trailers, every trailer we build is powder coated with Sherwin-Williams™ Powder Coat. A powder coat finish is far superior to conventional paint. It is extremely durable and does not easily crack, chip, or peel as conventional paint does. Powdercoating also helps prevent rust & corrosion making it the longest lasting and most durable finish on the market.

DECKOVER DUMP (DS)



- 15,680 GVWR
- 16' Length Available
- 36" High Removable Sides
- 91" Wide Bed
- 6' 6" Slide In Channel Ramps
- 235/80R16 Radial Tires

96" DECKOVER DUMP (D8)



- 14,000 GVWR
- 14' Length Available
- 19" High Fold Down Sides
- 96" Wide Bed
- 80" Slide In Channel Ramps
- 235/80R16 Radial Tires
- Available as Bumperpull & Gooseneck

84" DECKOVER DUMP (DN)



- 9,990 GVWR
- 10'-14' Length Available
- 84" Wide Bed w/ Fold-down Sides
- 6' 6" Slide In Channel Ramps
- 40° Dump Pitch
- 235/80R16 Radial Tires
- Available as Bumperpull & Gooseneck

83" XL DUMP (D9)



- 14,000 GVWR
- 16' Length Available
- 83" Wide Bed
- 6' 6" Slide In Channel Ramps
- Scissor Hoist
- 235/80R16 Radial Tires
- Available as Bumperpull & Gooseneck

83" XL DUMP TRIPLE AXLE (D9)



- 21,000 GVWR
- 16' Length Available
- 83" Wide Bed
- 6' 6" Slide In Channel Ramps
- Scissor Hoist
- 235/80R16 Radial Tires
- Available as Bumperpull & Gooseneck

83" TANDEM AXLE DUMP (D7)



- 9,990 - 14,000 GVWR
- 10' - 14' Lengths Available
- 83" Wide Bed
- 6' 6" Slide In Channel Ramps
- 40° Dump Pitch
- 235/80R16 Radial Tires
- Available as Bumperpull & Gooseneck

TANDEM DUAL DUMP (DD)



- 22,400 GVWR
- 16' - 20' Lengths Available
- 10 Ton Scissor Lift
- I-Beam Gooseneck
- 12" x 19lb I-Beam Main Frame
- 235/80R16 Radial Tires
- Available as Bumperpull & Gooseneck

83" XL LOW PRO DUMP (DJ)



- 14,000 lbs GVWR
- 16' Length Available
- Ultra Low 24" Deck Height
- Scissor Hoist Standard
- 83" Wide Bed
- ST225/75B15 Tires
- Available as Bumperpull & Gooseneck

83" LOW-PRO DUMP (DL)



- 14,000 lbs GVWR
- Ultra Low 24" Deck Height
- 12' & 14' Lengths Available
- Scissor Hoist & Ramps Standard
- 83" Wide Bed
- 235/80R16 Radial Tires
- Available as Bumperpull & Gooseneck

78" MEDIUM DUTY DUMP (D2)



- 9,990 lbs GVWR
- 10' & 12' Lengths Available
- 78" Wide Bed
- Self Contained Hydraulic Unit
- Locking Front Tool Box

72" TANDEM AXLE DUMP (D3)



NEW

- 9,990 lbs GVWR
- 10' & 12' Lengths Available
- Tandem 5200 lbs Axles Available
- 72" Wide Bed
- ST225/75B15 Tires

60" UTILITY DUMP (D5)



- 5,200 - 9,990 lbs GVWR
- 8' & 10' Lengths Available
- Single & Tandem Axles Available
- 60" Wide Bed
- ST225/75B15 Tires

UTILITIES



83" CHANNEL UTILITY (U8)



- 2,990 - 7,000 lbs GVWR
- 10' - 20' Lengths Available
- 83" Wide Deck
- Removable Aluminum Treadplate Fenders
- Removable Sides
- 205/75R15 Radial Tires

77" CHANNEL UTILITY (U7)



- 2,990 - 7,000 lbs GVWR
- 8' - 20' Lengths Available
- 77" Wide Deck
- Removable Aluminum Treadplate Fenders
- Removable Sides
- 205/75R15 Radial Tires

60" CHANNEL UTILITY (U6)



- 2,990 - 7,000 lbs GVWR
- 8' - 20' Lengths Available
- 60" Wide Deck
- Removable Aluminum Treadplate Fenders
- Removable Sides
- 205/75R15 Radial Tires

60" ALL STEEL UTILITY (A6)



- 3,500 GVWR
- 8' & 10' Lengths Available
- Treadplate Removable Aluminum Fenders
- 4ft Expanded Metal Gate
- 60" Deck Width
- 205/75R15 Radial Tires



PJ TRAILERS CORPORATE HEADQUARTERS
PARIS, TEXAS